

CERTIFICATE OF COMPLIANCE

Certificate Number 20241216-MH25861
Report Reference MH25861-19980129
Issue Date 2024-DECEMBER-16

Issued to: SHENZHEN CENTER POWER TECHNOLOGY CO LTD
CENTER POWER INDUSTRIAL PARK
TONFU INDUSTRIAL DISTRICT
DAPENG TOWN
SHENZHEN GUANGDONG 518120 CHINA

This is to certify that representative samples of COMPONENT - BATTERIES, STANDBY
See Addendum Page


Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL1989, Standby Batteries

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

The UL Recognized Component Mark generally consists of the manufacturer's identification and catalog number, model number or other product designation as specified under "Marking" for the particular Recognition as published in the appropriate UL Directory. As a supplementary means of identifying products that have been produced under UL's Component Recognition Program, UL's Recognized Component Mark:

 may be used in conjunction with the required Recognized Marks. The Recognized Component Mark is required when specified in the UL Directory preceding the recognitions or under "Markings" for the individual recognitions.

Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for use as components of complete equipment submitted for investigation rather than for direct separate installation in the field. The final acceptance of the component is dependent upon its installation and use in complete equipment submitted to UL LLC.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20241216-MH25861
Report Reference MH25861-19980129
Issue Date 2024-DECEMBER-16

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

CPD Series Component lead-acid standby batteries, CPD225, CPD250.

CP Series Component lead-acid standby batteries, CP2047, CP205, CP260, CP405, CP405E, CP440, CP445, CP445S, CP490, CP495, CP4100, CP4200, CP605, CP612, CP613, CP614, CP615, CP618, CP620, CP620S, CP623, CP625, CP628, CP632, CP632SA, CP635, CP640, CP640E, CP640L, CP640S, CP640LE, CP642, CP642L, CP643, CP644, CP645, CP645E, CP645H, CP645L, CP645T, CP645LA, CP646, CP647, CP650, CP650E, CP650S, CP655E, CP656, CP660, CP665, CP670, CP677, CP672, CP680, CP680S, CP682S, CP690, CP6100, CP6100D, CP6100TS, CP6120, CP6120D, CP6127, CP6140T, CP6140TS, CP6180, CP820, CP832, CP832S, CP1207, CP1208, CP1212, CP1212S, CP1213, CP1215C, CP1219, CP1220, CP1220C, CP1220M, CP1220S, CP1222, CP1222S, CP1223, CP1223C, CP1223H, CP1223E, CP1225, CP1225S, CP1226, CP1226S, CP1228B, CP1228A, CP1228S, CP1229, CP1230, CP1232, CP1232S, CP1234, CP1240, CP1240L, CP1240SL, CP1240S, CP1245, CP1245E, CP1245H, CP1245LE, CP1245S, CP1250, CP1250AE, CP1250D, CP1250H, CP1250AY, CP1250HE-T, CP1255, CP1255S, CP1260, CP1265, CP1265E, CP1270M, CP1265AE, CP1270, CP1270A, CP1270E, CP1270H, CP1270L, CP1270S, CP1270SL, CP1272, 6FM7.2, CP1275, CP1273, CP1272E, CP1273E, CP1277, CP1278, CP1280, CP1280E, CP1280H, CP1290, CP1290Y, CP1290A, CP1290S, CP1290H, CP1290AE, CP1290L, CP1290B, CP12100, CP12100Y, CP12100E, CP12100D, CP12100M, CP12100S, CP12120, CP12120Y, CP12120D, CP12127, CP12140, CP12140-D, CP12140T, CP12150, CP12150H, CP12170, CP12170-X, CP12170E, CP12170D, CP12170H, CP12170X, 6FM17-X, CP12170HX, CP12180, CP12190, CP12180D, CP12200, CP12240, CP12240A, CP12240S, CP12240F-X, CP12240X, 6FM24-X, CP12240H, CP12240HX, CP12240D, CP12250, CP12250E, CP12260, CP12270, CP12280, CP12280S, CP12280SX, CP12330, CP12380, CP12400, CP12400F-X, CP12650, CP12650FEV-X, CP12650F-X, CP2445, CP2480, CP1270Y, CP1265Y, CP1250HY, CP1280AC, CP1290B, CP1290AC, CP12170D-Z, CP12240D-Z.

Note: Above CP Series Models may be followed by suffix FR which signifies use of flame retardant jar rated V-0.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20241216-MH25861
Report Reference MH25861-19980129
Issue Date 2024-DECEMBER-16

3FM Series Component lead-acid standby batteries:
3FM33, 3FM58, 3FM58-TS9, 3FM68, 3FM65, 3FM225, 3FM225SX.

6FM Series Component lead-acid standby batteries:

6FM29, 6FM29-TS9, 6FM29-TS10, 6FM33, 6FM33H-X, 6FM33D, 6FM33T, 6FM33X, 6FM36, 6FM38, 6FM40, 6FM40D, 6FM40S, 6FM40C-X, 6FM40X, 6FM40SX, 6FM45, 6FM45X, 6FM45D, 6FM55, 6FM55X, 6FM55X-S, 6FM55SX, 6FM55SGX, 6FM55SGX-D, 6FM55TE-X, 6FM55D, 6FM55G, 6FM55SG, 6FM55TD-X, 6FM60, HFS12-280WL-X, HFS12-380WV-X, 6FM60X, 6FM60X-S, 6FM60D, 6FM60E, 6FM65, 6FM65X, 6FM65D, 6FM65R, 6FM65S, 6FM70, 6FM70D, 6FM75D, 6FM75X, 6FM75, 6FM80, 6FM80Y-X, 6FM80D, 6FM80X, 6FM90, 6FM90TN-X, HFS12-340WL-X, 6FM90-X, 6FM90E-X, 6FM90D, 6FM90TD-X, 6FM100, 6FM100ZD-X, HFS12-400WL-X, HFS12-400W-X, 6-GFMJ-100, 6FM100R, 6FM100RD, 6FM100S, 6FM100D, 6FM100E, 6FM100SE-X, 6FM100Y-Q, 6FM100RE-X, 6FM100RH-X, 6FM100RY-X, 6FM100E-X, 6FM100SX, 6FM100X, 6FM100H, 6FM100HX, 6FM100SHX, 6FM100SH, 6FM120, HFS12-450WL-X, HFS12-450W-X, 6FM120-X, 6FM120H, 6FM120S, 6FM120SX, 6FM120E, 6FM120X, 6FM120HX, 6FM120D, 6FM120SD, 6FM134, 6FM134UD-X, 6FM134-X, 6FM134R, 6FM134RD, 6FM150, HFS12-550WL-X, HFS12-540WR-X, 6FM150E-X, 6FM150-X, 6FM150X, 6FM150HX, 6FM150H, 6FM150D, 6FM200, HFS12-800WS-X, HFS12-820WS-X, HFS12-800WSL-X, HFS12-780WV-X, 6FM200E, 6FM200X, 6FM200HX, HF12-1010W-X, HFS12-970WS-X, 6FM200D, 6FM200D-X, 6FM200H.

Note: Above 3FM and 6FM Series Models may be followed by suffix FR which signifies use of flame retardant jar rated V-0.

SNA Series Component lead-acid standby batteries, Models SNA2-1000, SNA2-1500, SNA2-2000, SNA2-3000, SNA6-400A, SNA12-240A, SNA12-330A, SNA12-33, SNA12-55, SNA12-75, SNA12-100, SNA12-120, SNA12-200.

CL Series Component lead-acid standby batteries, CL100, CL150, CL200, CL200E, CLS200, CL300, CL300E, CLS300, CL400, CL400E, CLS400, CL500, CL500M, CL500E, CLS500, CL600, CL600M, CL600F, CLS600, CL800, CLS800, CL1000, HFS2-1190W, CL1000E, HFS2-940W, CL1500, HFS2-1500W, CL1500E, CLS1500, CL2000, CL2000E, CL3000, HFS2-3000W, CL3000E.

Note: Above CL Series Models may be followed by suffix FR which signifies use of flame retardant jar rated V-0.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20241216-MH25861
Report Reference MH25861-19980129
Issue Date 2024-DECEMBER-16

CG Series Component lead-acid standby batteries CG24-4.5, CG24-8, CG4-4.5, CG4-4.5S, CG4-9.5, CG4-20, CG6-1.2, CG6-2, CG6-2S, CG6-2.8, CG6-2.8S, CG6-3.2, CG6-3.2S, CG6-3.2SA, CG6-4LE, CG6-4S, CG6-4.2, CG6-4.2L, CG6-4.5E, CG6-4.5L, CG6-4.5LA, CG6-4.5, CG6-4.5H, CG6-4.5T, CG6-5S, CG6-5.6, CG6-6S, CG6-7, CG6-7.7, CG6-8S, CG6-10, CG6-10TS, CG6-12, CG6-14T, CG6-14TS, CG6-18, CG6-33, CG8-3.2, CG8-3.2S, CG12-0.8, CG12-1.2, CG12-1.2S, CG12-2C, CG12-2M, CG12-2.3C, CG12-2.2S, CG12-2.3, CG12-2.3H, CG12-2.5, CG12-2.5S, CG12-2.6, CG12-2.6S, CG12-2.9, CG12-3.2, CG12-3.2S, CG12-4L, CG12-4SL, CG12-4.5, CG12-4.5H, CG12-4.5S, CG12-5, CG12-5H, CG12-6, CG12-7, CG12-7A, CG12-7E, CG12-7L, CG12-7SL, CG12-8H, CG12-9L, CG12-10E, CG12-10S, CG12-10, CG12-10M, CG12-12, CG12-12A, CG12-12D, CG12-15, CG12-17, CG12-17A, CG12-17X, CG12-17H, CG12-17HX, CG12-20, CG12-24, CG12-24A, CG12-24X, CG12-24H, CG12-24HX, CG12-29, CG12-28S, CG12-33, CG12-33X, CG12-40, CG12-40A, CG12-40X, CG12-45, CG12-45X, CG12-55, CG12-55A, CG12-55G, CG12-55X, CG12-55XS, CG12-55SG, CG12-55SGX, CG12-60, CG12-60X, CG12-60SX, CG12-65, CG12-65A, CG12-65X, CG12-65R, CG12-65S, CG12-75, CG12-75X, CG12-80, CG12-80A, CG12-80X, CG12-90, CG12-90X, CG12-100, CG12-100A, CG12-100S, CG12-100SX, CG12-100X, CG12-100H, CG12-100HX, CG12-100R, CG12-100SH, CG12-100SHX, CG12-120, CG12-120S, CG12-120SX, CG12-120X, CG12-120H, CG12-120HX, CG12-134R, CG12-150, CG12-150A, CG12-150X, CG12-150H, CG12-150HX, CG12-200, CG12-200A, CG12-200H, CG12-200X, CG12-210-T, CG12-200HX, CG2-6, CG2-100, CG2-150, CG2-200H, CG2-300, CG2-300H, CG2-400, CG2-400H, CG2-500, CG2-500H, CG2-500R, CG2-600, CG2-600H, CG2-800H, CG2-800, CG2-1000, CG2-1000H, CG2-1500, CG2-1500H, CG2-2000, CG2-2000H, CG2-3000, CG2-3000H, CG6-200, CG6-210, CG6-200R, CG6-210X, CG6-225, CG8-150, CG8-150R, CG8-280X

CT Series Component lead-acid standby batteries, CT12-50X, CT12-80X, CT12-85X, CT12-85XD, CT12-100X, CT12-100X-HTB, CT12-90X, CGT12-100X, CT12-105X, CT12-105EX, CT12-105XD, CGT12-120X, CT12-125X, CGT12-125X, CT12-140X, CT12-180X, CT12-180X-HTB, 6FM180H-X, CT12-150X, CT12-150X-HTB, CT12-200X, CT12-160X, CGT12-160X.

CTA Series Component lead-acid standby batteries, CTA12-50X, CTA12-75X, CTA12-80X, CTA12-85X, CTA12-100X, CTA12-125X, CTA12-155X, CT12-155X.

HP Series Component lead-acid standby batteries, HP6-25W, HP12-13W, HP12-22W, HP12-30W, HP12-35W, HP12-46W, HP12-50W, HP12-60W, HP12-65W, HP12-105W, HP12-105W-X, HP12-116W, HP12-116W-X, HFS12-115W-X, HPS12-22W, HPS12-36W, HPS12-28W.

INV Series Component lead-acid standby batteries, INV12-4.5, INV12-5, INV12-7.2, INV12-7S, INV12-9, INV12-12, INV12-17.2, INV12-18, INV12-24, INV12-26, INV12-28, INV12-30, INV12-33, INV12-35, INV12-38, INV12-40, INV12-55, INV12-65, INV12-75, INV12-100, INV12-110, INV12-120, INV12-150, INV12-200, INV12-210, INV12-210, INV12-300, INV12-350, INV12-400, INV12-490, INV12-540, INV12-100, INV12-120, INV12-150, INV12-175, INV12-180, INV12-190, INV12-200



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20241216-MH25861
Report Reference MH25861-19980129
Issue Date 2024-DECEMBER-16

HF Series Component lead-acid standby batteries, HF12-135W, HF12-135W-X, HF12-155W, HF12-155W-X, HFS12-150W-X, HF12-165W, HF12-165W-X, HFS12-180W-X, HF12-211W, HF12-211W-X, HFS12-200W-X, HF12-260W, HF12-260W-X, HF12-320W, HF12-320W-X, HF12-370W, HF12-370W-X, PHF12-360W-X, HF12-420W, HFS12-420WR-X, HF12-420W-X, HFS12-410WV-X, HF12-470W, HFS12-400WR-X, HF12-470W-X, HFS12-440WV-X, HF12-560W, HFS12-510WV-X, HF12-560W-X, HFS12-560W-X, PHF12-520W-X, HFS12-500WR-X, HF12-650W, HF12-650W-X, HFS12-650WV-X, PHF12-670WS-X, HFS12-700WS-X, HF12-890W, HF12-890WS-X, PHF12-890WS-X, HF12-350WP-X, HFS12-320W-X, HF12-680WP-X, HFS12-710WS-X.

Secondary lead-acid standby batteries, EVGT6-235A-AM, EV6-240-X, EVGH6-210A-AM, EVGC6-210A-AM, EVGC6, EV627-180X, EVGC6-185A-AM, EV250-280A-AM, EV305-360A-AM, EVL16-400A-AM, EVGC8-170A-AM, EVGC8-150A-AM, EVGC8-150A-X, EV805-210X, EV816-280X, EV12-155A-AM, EV12-175-X, 6FM175-X, EV185-250A-AM, 6FM230-X, EVU1-33A-Q, EV22-55A-Q, EV22, EV24-80A-AM, G24, 6FM75XEV, EV27-90A-AM, EV27, EV34-65A-AM, EV34, EV30-110A-AM, EV12-120-X, EV12-140-X, EV31-105A-AM, EV4D-200A-AT, EV8D-250A-AT, EV712-35, EV712-45, EV712-55, EV712-65, EV712-75, SC24-80A-AM, SC27-90A-AM, SC30-110A-AM, SC31-100A-AM, SC4D-180A-AT, SC8D-230A-AT, 24A-80, 27A-100, 30A-110-K, 4DA-165, 8DA-230, GCA-210-AM, EVGC-220A-AM, EVGC8-165A-AM, EVGC8, EV185-250A-AM, EV27-100A-AM, EV8D-330A-AT, EV8D, EV4D-240A-AT, EV4D, EV24-85A-AM, EVGT6-280A-AM, 3-EVF-185-AM, 4-EVF-150-AM, 4-EVF-150-X, 6-EVF-100-X, 6-EVF-120-X, 6-EVF-150-X, 3-EVF-210-X, EV805-220-X, EV627-205X, EV22-58A-Q, EV250-265A-AM, EV816-295-X, EVGT12-127A-X, EVGT8-210A-X, EV12-140A-AM, EVU1-34A-X, EVU1, EV8-180-AM, 6FM100P-X, 6FM200P-X, HF12-390WPX, HFS12-490WV-X, HF12-420WPX, HFS12-420W-X, HF12-850WPX, HFS12-850WR-X, EV6-240-AM, EV8-200-AM, EV8-200-X, EV12-130-X, EV12-160-X, EV12-190-X, EV6-260-X, 6FM100LP-X, 6FM200LP-X, 6FM33D-Z, 3FM200E-X, 6FM150Z-X, 6FM150LP-X.

Secondary lead-acid standby batteries, Models: SCP445, SCP410, SCP613, SCP634, SCP650, SCP675, SCP612, SCP614, SCP636, SCP62000, SCP1208, SCP1213, SCP1223, SCP1234, SCP1250, SCP1270, SCP1280, SCP1285, SCP1290, SCP12120, SCP12180, SCP12220, SCP12260, SCP12350, SCP12350NB, SCP12450, SCP12550, SCP12550Z, SCP12750, SCP12750Z, SCP12950, SCP121050, SCP121100, SCP122000DC, SCP122500DC, UNA12-115, UNA12-150, UNA12-200, UNA12-320, UNA12-370, UNA12-420, UNA12-500, UNA12-540, 6FM100D-X, CP1295D-T, CP1260AC, EV12-4.5, CP1270AC, 6-DZM-17, 6-DZM-40, CP1223SC, CP1260SC, CP1250SC, CP632SC.

Secondary lead-acid standby batteries, Models: HP12-30W-FR, HPS12-22W-FR, HPS12-28W-FR, HPS12-36W-FR, HPS12-52W-FR, HPS12-90W-XFR, HF12-211W-XFR, SCP12550-XFR, SCP12750-XFR, SCP121000-XFR, SCP121100-XFR, SCP121400-XFR, 6FM33HD-X.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

